



**余姚市永胜喷雾器有限公司**  
**YUYAO YONGSHENG SPRAYER CO., LTD.**

地址: 余姚市凤山街道同光工业区  
ADD: Tongguang Industrial Zone, Fengshan Street,  
Yuyao, Zhejiang, China  
电话/TEL: 0086-574-62473768 62673799  
传真/FAX: 0086-574-62671089  
[Http://www.ys-sprayer.com](http://www.ys-sprayer.com)  
[Http://www.yospwq.com](http://www.yospwq.com)  
[Http://yospwq.1688.com](http://yospwq.1688.com)  
E-mail:ysspayer@163.com



**YONGSHENG**  
**SPRAYER**



Yongsheng  
Beautiful  
bloom

**YS** 永胜喷雾器  
YONGSHENG SPRAYER

**CK** | Sales Manager  
Mobile: +86-137 3215 7699

**YUYAO YONGSHENG SPRAYER CO., LTD.**

ADD: Tongguang Industrial Zone, Fengshan Street, Yuyao, Zhejiang, China  
TEL: 0086-574-62473768 62673799 FAX: 0086-574-62671089  
WHATSAPP: +8615888500099 E-mail: yssprayer@163.com  
Http://www.ys-sprayer.com Http://www.yspwq.com



YS 永胜喷雾器  
YONGSHENG SPRAYER

“ BEST QUALITY  
FIRST CLASS CREDIT ”



## 公司简介

余姚市永胜喷雾器有限公司是在原余姚市永胜塑料五金厂的基础上发展起来的专业从事喷雾器及各类塑料制品的制造和开发的企业，创建于2001年。

本厂产品主要包括手扣式喷雾器，气压式喷雾器，液体分配器，香水喷头和香水瓶及各种塑料制品配件的加工制造。产品广泛用于卫生防疫，消毒杀虫，喷发润发，花木喷水，烫衣喷雾，家禽灭蚊，清洗家私或窗户，化工药剂包装等。

我司本着“质量第一，信誉至上”的宗旨，我们在不断发展巩固国内市场的同时积极拓展国外市场，目前产品已大量出口到世界各国。客户遍及亚洲，欧洲，美洲和大洋州并赢得良好信誉。

我们竭诚欢迎国内外有识之士前来合作洽谈，共创辉煌明天。

## Brief Introduction

Yuyao Yongsheng Sprayer Co.,Ltd. Based on Yuyao Yongsheng Plastic & Hardware Factory, founded in 2001, is a professional manufacturer specialized in pressure sprayer, plastic sprayer&bottle, trigger sprayer, lotion pump, mist sprayer & other relevant OEM or ODM customer-making plastic products.

Our products been widely used in sanitation & epidemic prevention, sterilization and insects killing, water spray for hair, flower and clothes, furniture cleaning and the chemicals packages etc.


Philosophy of "Best quality, first class credit", we have been developing and promoting the products quality to carve out and strengthen domestic markets and meanwhile widely strive for overseas markets. Now our products not only become the Chinese best one of the sprayer, but also win a good reputation from our customers come from the Asia, Europe, north&south America and the Australia.

We're so sincerely welcome your cooperation and make our common development.

## 先进的设备 / Advanced equipment

永胜自有精密模具制造车间，产品从设计开发到模具制造再到成品生产形成完整的生产系统，永胜人始终坚信品质对企业发展的重要性，每个环节的用心、精心才能制造出让客户放心的产品。

Yongsheng has its own precision mold manufacturing workshop, products from design and development to mold manufacturing to finished production to form a complete production system. Yongsheng people always believe that the quality of the importance of enterprise development, each step carefully, carefully to create customer products.



公司在历年的发展中不断引进现代化的产品生产设备，拥有自动化组装设备30余台，大大提高了产品生产效率，确保了产品生产周期；依托先进的技术和装备，科学的生产工艺，完善的管理体系，保证了企业强大的生产制造能力。

The company has introduced the modernization of production equipment in the development over the years, with automated assembly equipment more than 30 Taiwan, greatly improving the production efficiency, ensure the production cycle of the products; relying on advanced technology and equipment, scientific production technology, perfect management system, ensure the production capacity of powerful enterprises.

# Content

08 TRIGGER SPRAYER  
手扣式喷雾器

11 FOAM SPRAYER  
泡沫手扣式喷雾器

14 MINI TRIGGER SPRAYER  
迷你手扣式喷雾器

16 LOTION PUMP  
乳液泵

24 NAIL & CLEANSING PUMP  
卸甲泵

25 TREATMENT PUMP  
粉泵

26 FOAM PUMP  
泡沫泵

28 FINE MIST SPRAYER  
小喷雾器

31 PERFUME SPRAYER  
香水喷雾


32 PEN SPRAYER  
香水笔

33 PLASTIC CAP  
塑料盖





Discharge Rate:  
**0.80-1.20ML/T**  
Size: Ø28/400, Ø28/410, Ø28/415



**Trigger Options**



**Closure Options**



**YS-01C**  
Function:Stream/Spray  
QTY: 500PCS/CTN  
Meas: 53x38x37.5cm



**YS-01D**  
Function:Stream/Spray  
QTY: 500PCS/CTN  
Meas: 47x38x37.5cm



**YS-01E**  
Function:Stream/Spray  
QTY: 500PCS/CTN  
Meas: 49x38x37.5cm



**YS-01K**  
Function:Stream/Spray  
QTY: 500PCS/CTN  
Meas: 53x38x37.5cm



**YS-01M**  
Function:Stream/Spray  
QTY: 500PCS/CTN  
Meas: 53x38x37.5cm



**YS-01N**  
Function:Stream/Spray  
QTY: 500PCS/CTN  
Meas: 55x38x37.5cm



**YS-01W**  
Function:Stream/Spray  
QTY: 500PCS/CTN  
Meas: 51x38x37.5cm



**TRIGGER SPRAYER**

▶ TRIGGER SPRAYER / 手扣式喷雾器

Discharge Rate:  
1.10-1.60ML/T




**YS-01A**  
Function: Stream/Spray  
Size: Ø28/400, Ø28/410  
QTY: 500PCS/CTN  
Meas: 55x38x37.5cm



**YS-01B**  
Function: Stream/Spray  
Size: Ø28/400, Ø28/410  
QTY: 500PCS/CTN  
Meas: 60x38x37.5cm




**YS-01S**  
Function: Stream/Spray  
Size: Ø28/400, Ø28/410  
QTY: 500PCS/CTN  
Meas: 65x38x37.5cm



# FOAM SPRAYER

泡沫手扣式喷雾器



**YS-01F**

Foam Nozzle

**YS-01H**  
Discharge Rate:  
1.20-1.60ML/T  
Function: Foam/Spray  
Size: Ø28/400, Ø28/410, Ø28/415  
QTY: 500PCS/CTN  
Meas: 57x38x37.5cm

Shroud. Options



Trigger Options




Closure Options



▶ **FOAM TRIGGER SPRAYER / 泡沫手扣式喷雾器**

Discharge Rate:  
**0.80-1.20ML/T**

Function: Foam/Spray  
Size: Ø28/400, Ø28/410, Ø28/415  
QTY: 500PCS/CTN  
Meas: 57x33x39cm



YS-01C-F2

YS-01M-F1

**Shroud. Options**



**Nozzle Options**



**Trigger Options**



**Closure Options**



Discharge Rate:  
**0.80-1.20ML/T**

Function: Stream/Spray  
Size: Ø28/400, Ø28/410, Ø28/415  
QTY: 500PCS/CTN  
Meas: 56x38x37.5cm



YS-01X-02

YS-01X-F3

Discharge Rate:  
**1.20-1.60ML/T**

Function: Foam/Spray  
Size: Ø28/400, Ø28/410, Ø28/415  
QTY: 500PCS/CTN  
Meas: 56x38x37.5cm

**Nozzle Options**



**Trigger Options**




**Closure Options**





# MINI TRIGGER SPRAYER

迷你手扣式喷雾器



**YS-03A**

Discharge Rate:0.25-0.3ML/T  
Size: Ø20/410, Ø24/410, Ø24/415,  
Ø28/410



**YS-03B**

Discharge Rate:0.25-0.3ML/T  
Size: Ø20/410, Ø24/410, Ø24/415,  
Ø28/410



**YS-03C**

Discharge Rate:0.25-0.3ML/T  
Size: Ø20/410, Ø24/410, Ø24/415,  
Ø28/410



**YS-03D**

Discharge Rate:0.5ML/T  
Size: Ø24/410, Ø28/410



**YS-03E**

Discharge Rate:0.25-0.3ML/T  
Size: Ø20/410, Ø24/410, Ø28/410




**YS-03F**

Discharge Rate:0.25-0.3ML/T  
Size: Ø20/410, Ø24/410, Ø28/410

### Closure Options



光面/Smooth



莱丝/Ribbed 1#



莱丝/Ribbed 2#

# 乳液泵 LOTION UP-DOWN PUMP



### Closure Options



Ribbed Smooth Alum.

### Closure Size Options




24/410 24/415 28/400 28/410 28/415

### Nozzle Options



A B C E G



PP  
PP  
PP  
LDPE  
PP  
STN STL  
PP  
GLASS  
LDPE

Discharge Rate:  
1.60-2.20ML/T



**YS-02A**

Size: Ø24/410, Ø24/415, Ø28/400,  
Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



**YS-02B**

Size: Ø24/410, Ø24/415, Ø28/400,  
Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



**YS-02C**

Size: Ø24/410, Ø24/415, Ø28/400,  
Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



**YS-02E**

Size: Ø24/410, Ø24/415, Ø28/400,  
Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



**YS-02G**

Size: Ø24/410, Ø24/415, Ø28/400,  
Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm

乳液泵  
LOTION PUMP  
LEFT-RIGHT




Closure Options



Closure Size Options



Nozzle Options



Discharge Rate:  
1.20-1.60ML/T



YS-02D

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-02F

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-02H

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-02I

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-02J

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-02L

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-02M

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm


乳液泵  
LOTION PUMP  
LEFT-RIGHT



新品 HOT  
New

SPRING  
INSIDE


Closure Options



Closure Size Options



Nozzle Options



Discharge Rate:  
2.00 ± 0.20ML/T



YS-04D-N

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04F-N

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04H-N

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04I-N

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04J-N

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04L-N

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04M-N

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm


乳液泵  
LOTION PUMP  
LEFT-RIGHT



新品 HOT  
New

SPRING  
OUTSIDE


Closure Options



Closure Size Options



Nozzle Options



Discharge Rate:  
2.00 ± 0.20ML/T



YS-04D-W

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04F-W

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04H-W

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04I-W

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04J-W

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm



YS-04L-W

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm




YS-04M-W

Size: Ø24/410, Ø24/415,  
Ø28/400, Ø28/410, Ø28/415  
QTY: 1000PCS/CTN  
Meas: 54x38x44cm


▶ LOTION PUMP / 乳液泵

Discharge Rate:  
1.40-1.80ML/T  
Size: Ø20/410, Ø24/410



▶ NAIL & CLEANSING PUMP / 卸甲泵

Discharge Rate:  
0.55 ± 0.05ML/T



TREATMENT  
粉泵  
PUMP



Discharge Rate:  
0.20 ± 0.02ML/T



FOAM  
PUMP  
泡沫泵



**YS-07A**  
Discharge Rate: 0.30±0.05ML/T  
Size: Ø28/400



**YS-07B**  
Discharge Rate: 0.40±0.05ML/T  
Size: Ø30/400



**YS-07C**  
Discharge Rate: 1.40±0.20ML/T  
Size: Ø40/400



**YS-07D**  
Discharge Rate: 1.40±0.20ML/T  
Size: Ø43/400




**YS-07E**  
Discharge Rate: 1.40±0.20ML/T  
Size: Ø40/400



**YS-07F**  
Discharge Rate: 1.40±0.20ML/T  
Size: Ø43/400

# 微型喷雾 FINE MIST SPRAYER



Discharge Rate:  
0.10-0.14ML/T



YS-05A  
Size: Ø18/410

YS-05A  
Size: Ø18/415

YS-05A  
Size: Ø20/410

YS-05A  
Size: Ø22/415



YS-05A  
Size: Ø24/410

YS-05A  
Size: Ø24/415

YS-05A  
Size: Ø28/410

### Cap Options



A' Half Cap

B' All Cap



C' All Cap

### Closure Options



Ribbed

Smooth



Alum.

UV

### Body Options



Small Body

Big Body

- 适用于高粘度液体
- Be applied to high viscosity liquid



**FINE MIST SPRAYER / 微型喷雾器**

Discharge Rate:  
**0.10-0.14ML/T**



**YS-05B-A**  
Size:  $\varnothing$ 20/410,  $\varnothing$ 24/410,  
 $\varnothing$ 24/415,  $\varnothing$ 28/410



**YS-05B-B**  
Size:  $\varnothing$ 18/410,  $\varnothing$ 20/410



**YS-05B-C**  
Size:  $\varnothing$ 18/410,  $\varnothing$ 20/410



**YS-05B-D**  
Size:  $\varnothing$ 18/410,  $\varnothing$ 20/410




**YS-05B-E**  
Size:  $\varnothing$ 18/410,  $\varnothing$ 20/410



**YS-05B-F**  
Size:  $\varnothing$ 18/410,  $\varnothing$ 20/410




**YS-05E**  
Discharge Rate: 0.60-0.90ML/T  
Size:  $\varnothing$ 24/410,  $\varnothing$ 28/410



Discharge Rate:  
**0.05-0.07ML/T**

**PERFUME SPRAYER**  
香水喷头



**YS-05C-B**  
 $\varnothing$ 15/400,  $\varnothing$ 18/400,  $\varnothing$ 20/400



**YS-05C-A**  
 $\varnothing$ 15/400,  $\varnothing$ 18/400,  $\varnothing$ 20/400

**Nozzle Options**



Half Alum. All Alum.

# PLASTIC PEN CAP



5ML 8ML 10ML

**YS-05D-A**  
Material:PP



5ML 8ML 10ML

**YS-05D-B**  
Material:PP

# PEN SPRAYER

香水笔

Discharge Rate:  
0.10-0.14ML/T

### Nozzle Options



A

B



Ø18/410

YS-G1



Ø20/410

YS-G1




Ø24/410

YS-G1



Ø28/410

YS-G1



Ø18/410

YS-G2



Ø20/410

YS-G2



Ø24/415

YS-G2



Ø24/415

YS-G2



Ø24/410, Ø28/410

YS-G2




Ø24/410

YS-G3



Ø28/410

YS-G3



Ø20/410, Ø20/415

YS-G4



Ø24/410

YS-G4




Ø24/415

YS-G4



Ø28/410

YS-G4



Ø28/415

YS-G4



Ø24/410, Ø28/410

YS-G5



Ø24/410, Ø28/410

YS-G6



Ø24/410, Ø28/410

YS-G7



Ø24/410, Ø28/410

YS-G8



Ø24/410, Ø28/410

YS-G9



Ø24/410, Ø28/410

YS-G10



Ø24/410, Ø28/410

YS-G11



Ø28/400

YS-G12



Ø28/410

YS-G13



Ø28/415

YS-G13



Ø20/410, Ø24/410, Ø28/410

YS-G14



Ø28/410

YS-G15



Ø38/410

YS-G15



Ø32/400

YS-G16



Ø20/410, Ø24/410  
Ø24/415, Ø28/400, Ø28/410

YS-G16